


# cci®


THE LEADER IN RIMFIRE AMMUNITION®

2026



**BLAZER®**  
AMMUNITION

cci



## GREAT ANNIVERSARY GEAR

Don't miss your chance to own a piece of CCI history. We're celebrating our 75th anniversary with a new lineup of limited-edition merchandise, including hats, apparel and commemorative gear. Check it out and start your order at [cci-ammunition.com](http://cci-ammunition.com).



## TABLE OF CONTENTS

### CCI

Suppressor Optimized & New Products.....	3-4
Defense.....	5-6
Varmint.....	7-10
Small Game.....	11-14
Target & Plinking.....	15-18
Pest Control & Specialty.....	19-22
Primers.....	23-24
Ballistics.....	25-26

### BLAZER

Handgun & Rimfire.....	27-30
------------------------	-------



It was a humble start back in 1951—just a skeleton crew working out of a renovated chicken coop and 17 acres on the edge of Lewiston, Idaho. But through American ingenuity and plain old hard work, CCI® quickly became the Leader In Rimfire Ammunition®. A lot has changed since those days, but our primers, centerfire ammunition and of course rimfire still reign, giving shooters worldwide the best tools to compete, hunt, train defend and reload. And on our 75th anniversary, that track record of innovation continues with new products across our existing categories, but also an exciting new one: Air gun pellets. Learn all about them on page 4. We couldn't do any of it without our loyal customers. Thank you for choosing CCI—we can't wait to keep shooting with you for the next 75 years.



## SUPPRESSOR-OPTIMIZED

These days, innovation isn't marked by a bang, but rather a whisper. With suppressor use skyrocketing, shooters and hunters are looking for ways to make the most of these tools. At CCI®, we're ahead of the curve. We've been giving those who want to shoot quieter—whether through a suppressor or not—better subsonic ammo options for years. Today, we have several rounds specifically designed for suppressors, providing cleaner, quieter and more effective performance whether you shoot targets, plink or hunt small game and pests. Options loaded to subsonic velocities slash decibels produced at ignition, but also eliminate the super-sonic crack suppressors can't silence.



### SUPPRESSOR-OPTIMIZED OFFERINGS

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
SUPPRESSOR MAX	22SMX	22 LONG RIFLE	SHP	45	970
SUPPRESSOR	957	22 LONG RIFLE	LHP	45	970
CLEAN-22 SUBSONIC	934CC	22 LONG RIFLE	BLUE RN	40	1070
CLEAN-22 HIGH VELOCITY	944CC	22 LONG RIFLE	RED RN	40	1235
CLEAN-22™ HYPER VELOCITY	954CC	22 LONG RIFLE	PURPLE RN	31	1550
CLEAN-22™ SUPPRESSOR	980CC	22 LONG RIFLE	BLACK RN	45	1000
MAXI-MAG SEGMENTED HP 22	972CC	22 WMR	POLY-COATED SHP	46	1875
SUB-SONIC HP	56	22 LONG RIFLE	LHP	40	1050
22 SHORT	27	22 SHORT	CPRN	29	1080
QUIET-22	960	22 LONG RIFLE	LRN	40	710
QUIET-22 SEGMENTED HP	970	22 LONG RIFLE	CPRN	40	710
QUIET-22™ SEMI-AUTO	975CC	22 LONG RIFLE	RN	45	835
STANDARD VELOCITY	32	22 LONG RIFLE	LRN	40	1070
GREEN TAG	33	22 LONG RIFLE	LRN	40	1070

# HUNTER SERIES

We're giving practical small game hunters a great way to fill the frying pan with a purpose-built line of new rimfire ammunition. CCI Hunter Series ammo is available in standard and subsonic velocities with flat-nose lead bullets. The blaze-orange plastic 100-packs are perfect for dropping into a game vest and taking afield. Whether you're after squirrels or rabbits, grouse or groundhogs, the Hunter Series has the power and precision you need.



## HIGH BAR AIR GUN SLUGS

Modern air rifles and pistols are more capable than ever, and CCI is giving shooters who use air guns the projectiles that make them more accurate, powerful and deadly on game. For the first time ever, we're introducing a line of air gun slugs built with the same precision and consistency as CCI's legendary rimfire bullets. Offered in both standard hollow points and our exclusive Segmented Hollow Points, these projectiles make air rifles even more at home in the woods.

### HIGH BAR™ AIR GUN SLUGS

PART NO.	TRUE DIAMETER	SLUG STYLE	WT. (GRS)	BOX CT.
ARS22HP	0.217	HOLLOW POINT	30	100
ARS22SHP	0.217	SEGMENTED HOLLOW POINT	30	100
ARS22HP35	0.217	HOLLOW POINT	35	100
ARS22SHP35	0.217	SEGMENTED HOLLOW POINT	35	100

DEFENSE



### EFFECTIVE EXPANSION


Now available in both 22 LR and 22 WMR, Uppercut™ uses an exclusive jacketed hollow point to provide consistent, uniform expansion.





# UPPERCUT DEFENSE

CCI® changed the face of self-defense with the first rimfire rounds that provide the power, penetration and reliability needed for protection: Uppercut™. Both the 22 LR and 22 WMR options use a hollow-point bullet with nose skiving that initiates full and reliable expansion, while retaining the weight needed to hit critical penetration depths. CCI's legendary priming ensures Uppercut will always be ready when needed.



## CRITICAL PENETRATION

Designed to retain weight on impact, Uppercut 22 LR achieves 8 to 10 inches of penetration in ballistics gel, with controlled expansion out of short-barrel semi-automatic pistols.

### BALLISTICS

PART NUMBER	CARTRIDGE	BULLET STYLE	WT. (GRS.)	VELOCITY, FT/SEC			ENERGY, FT-LB			TRAJECTORY			TEST BARREL
				MUZZLE	25 YDS	50 YDS	MUZZLE	25 YDS	50 YDS	MUZZLE	25YDS	50YDS	
960CC*	22 LR	JHP	32	950	910	963	64	58	53	-1.5	∅	-1.2	3"
22WMRUP	22 WMR	JHP	40	1050	1000	961	98	89	82	-1.5	∅	-0.7	2"

\* To ensure optimal performance, use in semi-automatic handguns with 2.5- to 4-inch barrels.

VARMINT



## STINGER COPPER-PLATED HOLLOW POINT

Stinger 22 LR loads produce a muzzle velocity of 1,640 fps and are loaded within industry standard pressures. They shoot flat, anchor varmints fast and provide reliable performance thanks to CCI® priming and brass.

### 22PLINKSTER'S FAVORITE

CCI Stinger isn't just a great load for pinning down varmints. It's also one of the top choices of YouTube shooting sensation 22plinkster. He relies on the accuracy and consistency of Stinger and other CCI loads to pull off his jaw-dropping trick shots. It's why we also offer "Stanger" loads. They have the same great performance as the original, but with special edition packaging and naming that celebrates 22plinkster's signature drawl.

[youtube.com/user/22plinkster](https://youtube.com/user/22plinkster)



### VARMINT

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
STINGER**	50	22 LONG RIFLE	CPHP	32	1640
STANGERS**	50100CC	22 LONG RIFLE	CPHP	32	1640

\*\* Use only in firearms having standard ANSI sporting barrel/chamber dimensions.



## MINI-MAG<sup>®</sup> SEGMENTED HOLLOW POINT

Mini-Mag Segmented Hollow Point combines all of what made the original a favorite with a bullet engineered to split into three equal-size parts on impact, creating three distinct wound channels that quickly take down varmints.

- Flat shooting and highly accurate to maximize effective range
- Reliable feeding
- Clean-burning powder causes significantly less barrel fouling



Mini-Mag Segmented Hollow Point uses a bullet that splits into three pieces on impact, tripling the lethality.



## 22 SHORT HOLLOW POINT

- A CCI exclusive
- Great stopping power
- Reliable expansion



## MAXI-MAG<sup>®</sup>

- Clean-burning propellants
- Peak velocities
- Maximum energy transfer on impact

## VARMINT

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
MINI-MAG SHP	36CC	22 LONG RIFLE	SHP	40	1235
MINI-MAG HP	31	22 LONG RIFLE	CPHP	36	1260
SHORT HP	28	22 SHORT	CPHP	27	1105
A17 *	949CC	17 HMR	VARMINT TIP	17	2650
MINI-MAG HP **	962	22 LR	CPHP	36	1260
MAXI-MAG HP **	958	22 WMR	JHP	40	1875
MAXI-MAG HP+V	59	22 WMR	JHP	30	2200
MAXI-MAG HP	24	22 WMR	JHP	40	1875

\* To avoid serious injury do not use in semi-automatic firearms without consulting with your firearms manufacturer; use only in modern firearms in good condition marked for 17 HMR cartridges.

\*\* Bulk pack.

A17 is registered trademark of Savage Arms, Inc., licensed to CCI for use.



## MINI-MAG

- Reliable cycling
- Extreme accuracy
- High velocities and flat trajectories

VARMINT

# MAXI-MAG<sup>®</sup> SEGMENTED HP 22 WMR

Clean-22<sup>®</sup> technology is now being used to extend the range and power of 22 WMR. Maxi-Mag Segmented HP uses an exclusive polymer bullet coating to greatly reduce copper and lead fouling in the barrel without leaving a residue. The load's 46-grain Segmented Hollow Point splits into three equal-size pieces on impact, tripling the number of wound channels.



- The industry's only segmenting hollow-point bullet in 22 WMR
- Allows expansion at lower velocities than copper-jacketed bullets
- Segmenting bullet reduces the risk of over penetration on small game targets





## MAXI-MAG & VNT™ POUR PACKS

Got ammo? Now you do. CCI® Pour Packs hold 125 rounds of Maxi-Mag or VNT. The convenient cartons pour easily for high-volume shooting at the range or in the field. When the fun's over, they're easy to reclose until your next shoot.

## V-MAX®

- Flat-shooting
- Accurate
- Explosive expansion
- Available in 17 HMR and 22 Win. Magnum



## VNT™

- Now available in 22 WMR, 17 Mach 2 and 17 HMR
- Speer VNT bullet design
- 17 HMR is 100 fps faster than comparable loads
- Devastating terminal effect on varmints
- Nickel-plated brass on 17 Mach 2 and 22 WMR



## TNT®

- Destructive expansion on impact
- Minimal mid-range rise
- Nearly identical point of aim to V-Max in 17 HMR



## TNT GREEN®

- Lead-free bullet
- Explosive terminal performance
- Match-grade accuracy

## VERMINT

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
17 HMR VNT POUR PACK*	923CC	17 HMR	VNT	17	2650
22 WMR VNT POUR PACK	929CC	22 WMR	VNT	30	2200
MAXI-MAG POUR PACK	920CC	22 WMR	JHP	40	1875
17 HMR TNT GREEN*	951	17 HMR	TNT GREEN HP	16	2500
17 HMR TNT*	53	17 HMR	JHP	17	2550
22 MAXI-MAG TNT	63	22 WMR	TNT JHP	30	2200
22 MAG TNT GREEN	60	22 WMR	TNT GREEN HP	30	2050
MAXI-MAG SEGMENTED HP 22	972CC	22 WMR	POLY-COATED SHP	46	1875
17 HMR VNT*	959CC	17 HMR	VNT	17	2650
17 HMR V-MAX*	49	17 HMR	POLY-TIP V-MAX	17	2550
17 MACH 2 VNT*	948CC	17 MACH 2	VNT	17	2010
22 WMR VNT	969CC	22 WMR	VNT	30	2200
22 MAG V-MAX	73	22 WMR	POLY-TIP V-MAX	30	2200

\* To avoid serious injury do not use in semi-automatic firearms without consulting with your firearms manufacturer; use only in modern firearms in good condition marked for 17 HMR cartridges.

o To avoid serious injury from a ruptured cartridge, 17 Mach 2 ammunition should only be used in firearms with components specifically designed to safely fire 17 Mach 2 ammunition, including the firearms action components (bolt/firing mechanism). Do not use this ammunition in firearms that have been modified unless ALL the action components have been specifically designed and verified by the firearm manufacturer as intended for 17 Mach 2.

V-Max is a registered trademark of Hornady®.

## SMALL GAME



### QUIET-22™ SEGMENTED HP

- 40-grain Segmented HP bullet
- No hearing protection needed when fired in locked-breech firearms
- Standard 22 Long Rifle case
- Excellent accuracy



### SUB-SONIC HP

- Low noise
- Bullet expands without fragmenting
- Great performance on small game



### SUPPRESSOR

- Subsonic velocity further minimizes noise through suppressed firearms
- Hollow-point bullet consistently expands at low velocities
- Reliable function in suppressed semi-automatic firearms
- Clean-burning powders

## SMALL GAME

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
SUB-SONIC HP	56	22 LONG RIFLE	LHP	40	1050
QUIET-22 SEGMENTED HP *	970	22 LONG RIFLE	CPHP	40	710
SUPPRESSOR	957	22 LONG RIFLE	LHP	45	970
SUPPRESSOR MAX	22SMX	22 LONG RIFLE	SHP	45	970

\* These cartridges may be used in semi-automatic firearms, however manual cycling of the action may be required.

A box of CCI 22 LR Suppressor Max ammunition is shown lying on a textured, brown surface. The box is blue with red and white text. It says '100 CARTRIDGES', 'CCI', '22 LR', 'SUPPRESSOR MAX', 'MAXIMUM POWER', 'MINIMUM NOISE', 'MADE IN USA', '22 LONG RIFLE', 'SEGMENTED HOLLOW POINT', '45 GRAIN', 'SMALL GAME', '970 FPS', and '2200 MAX'. Several brass cartridges are scattered around the box. A black suppressor is visible in the background.  
SMALL GAME

# SUPPRESSOR MAX

Whisper-quiet yet powerful rimfire performance is now within reach. CCI Suppressor Max™ is specifically designed for optimal accuracy, terminal performance and noise reduction when fired through rimfire suppressors. The specialized segmenting hollow-point bullet ensures violent disruption on impact—even at its low-decibel, sub-sonic 970 fps muzzle velocity, with excellent segmentation at 100 yards.

- Designed for maximum effectiveness on target out of a suppressed rifle or pistol
- Loaded to 970 fps, Suppressor Max cycles in all semi-automatics
- 45-grain segmenting hollow-point bullet is safe to shoot through all suppressors
- Customized segmenting hollow point bullet expands reliably and dramatically at low velocity—totally unlike conventional suppressor rounds
- 100-count packaging

SMALL GAME



# VELOCITOR<sup>®</sup> HP



Shoot flatter and hit distant small game harder with CCI® Velocitor HP loads. They're 200 fps faster than 22 Long Rifle high-velocity loads of the same bullet weight and provide excellent weight retention, downrange energy and penetration.



### GAMEPOINT®

- Dimple-Tip expands like a big game bullet
- Minimal meat and hide damage
- Accurate, powerful



### SMALL GAME FMJ

- Punches clean holes
- 17 HMR option is a CCI exclusive
- Very accurate
- No expansion



### SMALL GAME

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
VELOCITOR HP	47	22 LONG RIFLE	CPHP	40	1435
SMALL GAME 17 HMR *	55	17 HMR	FMJ	20	2375
17 HMR GAMEPOINT *	52	17 HMR	JSP	20	2375
22 WMR GAMEPOINT	22	22 WMR	JSP	40	1875

\* To avoid serious injury do not use in semi-automatic firearms without consulting with your firearms manufacturer; use only in modern firearms in good condition marked for 17 HMR cartridges.



# CLEAN-22<sup>®</sup>

The future of rimfire is here. Clean-22 uses an exclusive polymer bullet coating to greatly reduce copper and lead fouling in the barrel—without leaving a residue. Now available in 200-count pour packs and 400-count bottles decked out in Realtree® Edge™ camouflage.

- Cuts lead buildup in suppressors 60 to 80 percent
- Optimized bullet geometry for improved accuracy
- Available in Sub-Sonic and High-Velocity



## MAXI-MAG® TMJ®

- Consistent performance for plinking
- Utilizes surefire priming technology
- Jacket seamlessly encases lead core for accuracy

## 22 LONG

- A CCI exclusive
- Only 22 Long load on the market
- Extreme reliability and accuracy





## CLEAN-22 HYPER VELOCITY

Get all the benefits of Clean-22 technology with the flat trajectories and power of an extreme velocity load. Clean-22 Hyper Velocity clocks in at 1550 fps, while its exclusive polymer bullet coating reduces fouling, especially in suppressed rimfires.

### CLEAN-22™ SUPPRESSOR

- Ballistically optimized 45-grain lead round nose bullet
- Reliable function in semi-automatic firearms
- 1,000 fps muzzle velocity
- Advanced polymer bullet coating reduces lead fouling inside a suppressor 60 percent



### TARGET, PLINKING & COMPETITION

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
CLEAN-22 HYPER VELOCITY	954CC	22 LONG RIFLE	PURPLE RN	31	1550
CLEAN-22 SUPPRESSOR	980CC	22 LONG RIFLE	BLACK RN	45	1000
QUIET-22 SEMI-AUTO	975CC	22 LONG RIFLE	RN	45	835
MAXI-MAG TMJ	23	22 WMR	TMJ	40	1875
LONG	29	22 LONG	CPRN	29	1215
CLEAN-22 SUBSONIC	934CC	22 LONG RIFLE	BLUE RN	40	1070
CLEAN-22 HIGH VELOCITY	944CC	22 LONG RIFLE	RED RN	40	1235
MINI-MAG	30	22 LONG RIFLE	CPRN	40	1235
QUIET-22*	960	22 LONG RIFLE	LRN	40	710

\* These cartridges may be used in semi-automatic firearms, however manual cycling of the action may be required.

### QUIET-22™ SEMI-AUTO

- Flawless cycling through semi-automatic rifles
- Dramatic reduction in perceived noise
- Excellent accuracy
- Low velocity



### MINI-MAG®

- Original CCI 22 Long Rifle offering, and still the most popular
- Reliable feeding
- Clean-burning powder minimizes barrel fouling



### QUIET-22

- 75 percent less perceived noise than standard velocity 22 Long Rifle loads
- Excellent accuracy
- Low velocity



TARGET, PLINKING & COMPETITION



## GREEN TAG®

When a competition is on the line, settle for nothing less than the ultimate rimfire accuracy. CCI® Green Tag is suitable for both rifles and pistols, and is designed exclusively for competition.



# PISTOL MATCH

Get unmatched function in handguns with Pistol Match ammunition. Its precision components and tight tolerances make it an excellent choice for competitive handgun shooting.

- Proven accuracy in handguns
- Improved functionality across different handguns



## STANDARD VELOCITY

- Affordable practice round
- Same velocity as Green Tag
- Consistent performance



## 22 AR TACTICAL

- Optimized for cycling and accuracy in rimfire AR platforms
- 1.5-inch groups at 100 yards in factory testing
- Copper-plated round-nose bullet



## 22 SHORT

- High velocity
- Copper-plated for clean bores
- Great accuracy, performance



## TARGET, PLINKING & COMPETITION


CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
GREEN TAG	33	22 LONG RIFLE	LRN	40	1070
STANDARD VELOCITY	32	22 LONG RIFLE	LRN	40	1070
STANDARD VELOCITY*	35	22 LONG RIFLE	LRN	40	1070
22 SHORT	27	22 SHORT	CPRN	29	1080
PISTOL MATCH	51	22 LONG RIFLE	LRN	40	1070
AR TACTICAL **	956	22 LONG RIFLE	CPRN	40	1200

\* 50-count box

\*\* Bulk pack



## HEVI-BISMUTH CENTERFIRE SHOT SHELL



You don't get to choose when or where you'll encounter dangerous, damaging pests. Be prepared to take them out with CCI® HEVI-Bismuth™ centerfire handgun shotshells. They're built on CCI's proven centerfire handgun shotshell design but are loaded with the Catalyst™ lead-free primer and HEVI-Bismuth pellets alloyed and cast in Sweet Home, Oregon. At 9.6 g/cc, the shot carries nearly the same density and downrange energy of lead, but adheres to all non-toxic ammunition requirements.



- Completely lead-free
- Centerfire handgun shotshells
- 9.6 g/cc HEVI-Bismuth pellets
- Catalyst high-performance lead-free primer
- Effective short-range patterns on pests



# HEVI-BISMUTH

## PEST CONTROL

### RIMFIRE

Now you can take on damaging pests with rimfire handguns and rifles and the clean power of bismuth pellets. New CCI® HEVI-Bismuth™ rimfire shotshells are built on the proven rimfire shotshell design but are loaded with No. 11 non-toxic 9.6 g/cc pellets alloyed and cast in Sweet Home, Oregon.

- Lead-free shot
- Effective close-range pest-control option
- Payload of No. 11 HEVI-Bismuth shot is nearly as dense as lead but 100 percent non-toxic
- Reliable CCI priming
- Available in 22 LR and 22 WMR

#### RIMFIRE PEST CONTROL

CARTRIDGE	PART NO.	SHOT SIZE	APPROX. PAYLOAD, WT. (GRS)	VELOCITY	BOX CT.
HEVI-BISMUTH 22 LR	39CCB	#11	23	1000	20
HEVI-BISMUTH 22 WMR	25CCB	#11	43	1000	20



#### CENTERFIRE HANDGUN BIG 4™ SHOTSHELL

Big 4 loads extend the range and capabilities of centerfire handgun shotshells, thanks to a payload of No. 4 shot. The resulting energy and patterns take down larger pests at longer distances.

#### CENTERFIRE PEST CONTROL


CARTRIDGE	PART NO.	SHOT SIZE	APPROX. PAYLOAD, WT. (GRS)	VELOCITY	BOX CT.	BARREL LENGTH IN.
HEVI-BISMUTH 9MM LUGER	3790B	#11	43	950	10	4"
HEVI-BISMUTH 38 SPL/357 MAG	3738B	#8	80	1100	10	7.7"
HEVI-BISMUTH 40 S&W	3740B	#8	78	1300	10	4"
HEVI-BISMUTH 44 MAG/SPL	3744B	#8	112	1050	10	6"
HEVI-BISMUTH 10MM AUTO	3710B	#8	95	1300	10	5"
HEVI-BISMUTH 45 AUTO	3745B	#8	115	1150	10	5"
HEVI-BISMUTH 45 COLT	3746B	#8	130	1050	10	6"
BIG 4 - 9MM LUGER *	3712CC	#4	45	1000	10	4"
BIG 4 - 38 SPL/357 MAG**	3714CC	#4	84	1000	10	4"
BIG 4 - 44 MAG**	3718CC	#4	110	1000	10	6"
BIG 4 - 45 COLT**	3722CC	#4	140	800	10	6"
9MM LUGER *	3790	#12	53	900	10	4"
38 SPL/357 MAG **	3738	#9	100	1050	10	7.7"
40 S&W ***	3740	#9	88	1250	10	4"
10MM AUTO	3710	#9	105	890	10	5"
44 MAG/SPL **	3744	#9	114	1000	10	6"
45 AUTO ***	3745	#9	120	1100	10	5"
45 COLT **	3746	#9	150	1000	10	6"

DO NOT USE SHOTSHELLS IN FIREARMS WITH PORTED BARRELS OR PORTED RECOIL COMPENSATORS. DO NOT RELOAD THESE CARTRIDGE CASES. These cases are marked NR (Not Reloadable). Rupture of reloaded cases can cause severe injury. Intended for short-range pest control; not recommended for self-defense. Cylinder lock up may occur in lightweight revolvers due to capsule movement resulting from recoil inertia. \* These cartridges are loaded with a lighter projectile than conventional 9mm Luger ammunition for use in pistols and revolvers. They may not function reliably in all models of firearms. \*\* May not function properly in rifles. \*\*\* DO NOT USE IN REVOLVERS—cylinder lock-up may occur.

NEW

#### CENTERFIRE HANDGUN SHOTSHELL

- New 10mm Auto offering
- Great for close-range pest control
- No. 9 lead payload
- Packed in reusable boxes of 10 shotshells



### RIMFIRE SHOTSHELL

- Consistent patterns
- Easier hits on pests
- Only 22 WMR shotshell load on the market



### CB

- More effective at longer ranges on pests
- Accurate
- Great plinking loads



### NOISE BLANKS

- Great for training
- Clean-burning propellant
- Work in any firearm chambered for 22 Short, Long or Long Rifle

### 22 WRF JACKETED HOLLOW-POINT

- 19th century favorite with 21st century technology
- Only 22 WRF JHP in the industry
- Copper composition and special base are ideal for old barrels



PEST CONTROL

CARTRIDGES 20 CARTOUCHES

**cci**

SHOTSHELL  
**22 LR**



CONSISTENT PATTERNS | EASIER HITS ON PESTS

39

PEST CONTROL

1/15 OZ

#12 SHOT

31 GRAIN

1000 FPS



#### RIMFIRE PEST CONTROL

CARTRIDGE/PRODUCT NAME	PART NO.	CARTRIDGE	BULLET STYLE	WT. (GRS)	MUZZLE
22 LR SHOTSHELL	39	22 LONG RIFLE	#12	31	1000
22 WMR SHOTSHELL	25	22 WMR	#12	52	1000

#### SPECIALTY

CB SHORT	26	22 SHORT	LRN	29	710
CB LONG	38	22 LONG	LRN	29	710
NOISE BLANK	44	BLANK	—	—	—
22 WRF *	69	22 WRF	JHP	45	1300

DO NOT USE SHOT SHELLS IN FIREARMS WITH PORTED BARRELS OR PORTED RECOIL COMPENSATORS. DO NOT RELOAD THESE CARTRIDGE CASES. Rupture of reloaded cases can cause severe injury. Intended for short-range pest control; not recommended for self-defense. \* Not for revolvers. Most 22 WRF revolvers have undersized bores that cannot use a jacketed bullet. Performance data derived from industry test barrels; provided for reference. Velocities from production firearms may vary. Specifications subject to change without notice.

# PRECISION PRIMERS

High-performance handloads start with CCI® primers. Our designs are sensitive and proven to offer extremely consistent, reliable performance for every application.

## STANDARD RIFLE/ PISTOL PRIMERS

- Clean-burning
- Mil-spec offerings available
- Unmatched reliability



## MAGNUM RIFLE/ PISTOL PRIMERS

- Provide extra heat and ignition power
- 20 percent hotter flame to light propellants in the toughest hunting conditions
- No loss in sensitivity



## BENCH REST RIFLE PRIMERS

- Built specifically for bench rest shooters
- Engineered to provide precision ignition in tough competition
- Assembled with extra care for superior consistency and accuracy



## PRIMER USAGE COLOR KEY

LARGE RIFLE	MAGNUM LARGE RIFLE
LARGE PISTOL	MAGNUM LARGE PISTOL
SMALL RIFLE	MAGNUM SMALL RIFLE
SMALL PISTOL	MAGNUM SMALL PISTOL
SHOTSHELL	MAGNUM SHOTSHELL
MUZZLE LOADING	MAGNUM MUZZLELOADING



## SHOTSHELL PRIMERS

- 209 primer designed for standard field and target loads
- Reliable, clean-burning
- Fit all modern shotshell cases with 209 primer pocket
- 209M is a true magnum shotshell primer for heavy waterfowl and turkey loads



## PRIMERS

PRIMER	PRODUCT TYPE	PART # BOXED
SHOTSHELL	209	8
	209M	9
SMALL RIFLE	400	13
	450 MAG.	17
	NO. 41*/5.56MM	1
LARGE RIFLE	BR4	19
	200	11
	250 MAG.	15
	NO. 34*/7.62MM	2
SMALL PISTOL	BR2	10
	500	14
LARGE PISTOL	550 MAG.	18
	300	12
MUZZLELOADING	350 MAG.	16
	209	307
PERCUSSION CAPS	10	309
	11	311
	11 MAG.	310
	FOUR WING MUSKET CAPS	301
50-CALIBER BMG	35*	320

All CCI primers and percussion caps are non-corrosive and non-mercuric.  
\*Mil-spec offering.

## PERCUSSION CAPS

- Non-corrosive, non-mercuric priming compounds
- Choice of styles
- Assembled with soft, ribbed copper cups



## 209 IN-LINE MUZZLELOADING PRIMERS

- Optimized for muzzleloading
- Reduce fouling
- Formulated to ignite in humid conditions



## FOUR-WING MUSKET CAPS

- Tough four-wing design
- Lighter explosive charge
- Designed especially for reenactment



## ERIC GRAUFFEL WORLD IPSC CHAMPION




A lifelong passion for shooting has brought France's Eric Grauffel to victory at the highest levels of competition, with several national titles, eight European titles, multiple USPSA national titles, and eight World Champion titles to his credit. He trains and competes exclusively with CCI ammunition and components, and has since his first major titles in 1998. In addition to his competitive shooting career, Grauffel runs a custom shop and his own range where he trains shooters from all around the world.

## BALLISTICS

CARTRIDGE/PRODUCT NAME	PART NUMBER	CARTRIDGE	BULLET STYLE	WT. (GRS.)	VELOCITY, FT/SEC			EST. HANDGUN
					MUZZLE	50 YDS	100 YDS	
<b>DEFENSE</b>								
UPPERCUT™	960CC*	22LR	JHP	32	950	963	##	##
UPPERCUT 22 WMR	22WMRUP	22 WMR	JHP	40	1050	961	##	##
<b>VARMINT</b>								
MAXI-MAG® SEGMENTED HP 22 WMR	972CC	22 WMR	POLY-COATED SHP	46	1875	1623	1430	1331
VNT™*	959CC	17 HMR	VNT	17	2650	2353	2070	2140
VNT®	948CC	17 MACH 2	VNT	17	2010	1724	1471	1710
VNT	969CC	22 WMR	VNT	30	2200	1866	1571	1610
22 WMR VNT POUR PACK ††	929CC	22 WMR	VNT	30	2200	1866	1571	1610
17 HMR VNT POUR PACK* ††	923CC	17 HMR	VNT	17	2650	2353	2070	2140
A17* ††	949CC	17 HMR	VARMINT TIP	17	2650	2353	2070	2140
17 HMR V-MAX *	49	17 HMR	POLY-TIP V-MAX	17	2550	2220	1915	2040
17 HMR TNT* *	53	17 HMR	JHP	17	2550	2132	1757	2040
17 HMR TNT GREEN® *	951	17 HMR	TNT GREEN HP	16	2500	2043	1642	1955
SHORT HP	28	22 SHORT	CPHP	27	1105	961	868	1070
STINGER® **	50	22 LONG RIFLE	CPHP	32	1640	1292	1066	1395
MINI-MAG® HP	31	22 LONG RIFLE	CPHP	36	1260	1104	1003	1085
MINI-MAG® SEGMENTED HP	36CC	22 LONG RIFLE	SHP	40	1235	1092	998	1060
MINI-MAG® ††	962	22 LONG RIFLE	CPHP	36	1260	1104	1003	1085
22 MAXI MAG® TNT®	63	22 WMR	TNT JHP	30	2200	1768	1405	1610
MAXI-MAG® POUR PACK ††	920CC	22 WMR	JHP	40	1875	1574	1319	1425
22 MAG V-MAX	73	22 WMR	POLY-TIP V-MAX	30	2200	1866	1571	1610
22 MAG TNT GREEN®	60	22 WMR	TNT GREEN HP	30	2050	1648	1317	1475
MAXI MAG® HP	24	22 WMR	JHP	40	1875	1574	1319	1425
MAXI MAG® ††	958	22 WMR	JHP	40	1875	1574	1319	1425
<b>SMALL GAME</b>								
<b>NEW</b> HUNTER SERIES SUBSONIC	2R40LFN	22 LONG RIFLE	LFN	40	1070	970	901	932
<b>NEW</b> HUNTER SERIES	3R40LFN	22 LONG RIFLE	LFN	40	1235	1085	996	1050
SUPPRESSOR MAX	22SMX	22 LONG RIFLE	SHP	45	970	906	852	850
17 HMR *	55	17 HMR	FMJ	20	2375	2063	1776	1830
17 HMR GAMEPOINT® *	52	17 HMR	JSP	20	2375	2051	1754	1830
VELOCITOR®	47	22 LONG RIFLE	CPHP	40	1435	1230	1084	1130
SUB-SONIC HP	56	22 LONG RIFLE	LHP	40	1050	963	897	940
QUIET-22™ SEGMENTED HP ***	970	22 LONG RIFLE	SHP	40	710	674	640	590
SUPPRESSOR	957	22 LONG RIFLE	LHP	45	970	906	852	850
22 MAG GAMEPOINT®	22	22 WMR	JSP	40	1875	1614	1385	1425
<b>COMPETITION/ TARGET / PLINING</b>								
QUIET-22™ SEMI AUTO	975CC	22 LONG RIFLE	SOFT POINT	45	835	795	755	805
CLEAN-22™ HYPER VELOCITY **	954CC	22 LONG RIFLE	SOFT POINT	31	1550	1327	1155	980
CLEAN-22™	934CC	22 LONG RIFLE	SOFT POINT	40	1070	977	908	940
CLEAN-22™	944CC	22 LONG RIFLE	SOFT POINT	40	1235	1092	998	1060
CLEAN-22™ SUPPRESSOR	980CC	22 LONG RIFLE	BLACK RN	45	1050	940	885	840
CLEAN-22™ REALTREE®	966CC	22 LONG RIFLE	SOFT POINT	40	1235	1092	998	1060
GREEN TAG®	33	22 LONG RIFLE	LRN	40	1070	977	908	940
PISTOL MATCH	51	22 LONG RIFLE	LRN	40	1070	977	908	940
SHORT	27	22 SHORT	CPRN	29	1080	946	857	1050
LONG	29	22 LONG	CPRN	29	1215	1019	908	1090
QUIET-22™ ***	960	22 LONG RIFLE	LRN	40	710	674	640	590
STANDARD VELOCITY	32	22 LONG RIFLE	LRN	40	1070	977	908	940
STANDARD VELOCITY	35	22 LONG RIFLE	LRN	40	1070	977	908	940
AR TACTICAL ††	956	22 LONG RIFLE	CPRN	40	1200	1056	964	1025
MINI-MAG®	30	22 LONG RIFLE	CPRN	40	1235	1092	998	1060
MINI-MAG 22LR	30	22 LONG RIFLE	CPRN	40	1235	1092	998	1060
MAXI-MAG®	23	22 WMR	TMJ	40	1875	1603	1366	1425
<b>PEST CONTROL</b>								
HEVI-BISMUTH 22 LR	39CCB	22 LONG RIFLE	#11 SHOT	23	1000	—	—	—
HEVI-BISMUTH 22 WMR	25CCB	22 WMR	#11 SHOT	43	1000	—	—	—
22 LR SHOTSHELL	39	22 LONG RIFLE	#12 SHOT	31	1000	—	—	—
22 WMR SHOTSHELL	25	22 WMR	#12 SHOT	52	1000	—	—	—
<b>LOW NOISE / TRAINING / SPECIALTY</b>								
CB SHORT	26	22 SHORT	LRN	29	710	656	607	706
CB LONG	38	22 LONG	LRN	29	710	656	607	706
22 WRF †	69	22 WRF	JHP	45	1300	1125	1013	NR†
NOISE BLANK								

MUZZLE	50 YDS	100 YDS	25 YDS	TRAJECTORY				SPECIAL FEATURES
				50YDS	75YDS	100YDS	BOX CT.	
64	53	##	⊕	-1.2	##	##	50	Optimized For Semi-Automatic Handguns with 2.5- To 4-Inch Barrels
98	82	##	⊕	-0.7	##	##	50	Optimized for Handguns
359	269	201	0.1	0.9	0.8	⊕	50	First 22 WMR Bullet to Split in Three Parts on Impact
269	209	162	-0.6	0.0	0.2	⊕	50	Explosive and 100 fps Faster than Comparable 17 HMR
152	112	82	-0.1	0.7	0.8	⊕	50	Explosive Expansion and Superb Long-Range Accuracy
322	232	164	-0.2	0.5	0.6	⊕	50	Explosive Expansion and Superb Long-Range Accuracy
322	232	164	-0.2	0.5	0.6	⊕	125	Bulk Carton; Explosive Expansion and Superb Long-Range Accuracy
269	209	162	-0.6	0.0	0.2	⊕	125	Bulk Carton; Explosive Expansion and Superb Long-Range Accuracy
269	209	162	-0.6	0.0	0.2	⊕	200	Fastest 17-Grain 17 HMR on the Market
245	186	138	-0.5	0.1	0.3	⊕	50	Deadly on Varmints
245	172	116	-0.4	0.2	0.4	⊕	50	Explosive on Varmints
222	148	96	-0.5	0.1	⊕	-0.6	50	Lead-Free Bullet, Explosive on Varmints
73	55	45	0.3	⊕	-2.6	-7.9	100	Fastest 22 Short, Only Short HP
191	119	81	0.1	0.7	⊕	-2.3	50	The Hypervelocity Leader for More than 30 Years
127	97	80	0.6	1.2	⊕	-3.2	100	The Leading High-Velocity 22 Long Rifle HP
135	106	88	0.7	1.3	⊕	-3.3	100	Bullet Splits in Three Parts on Impact
127	97	80	0.6	1.2	⊕	-3.2	300	The Leading High-Velocity 22 Long Rifle HP
322	208	131	-0.1	0.7	0.8	⊕	50	Highest Velocity Win. Magnum, Explosive on Varmints
312	220	155	0.1	1.0	1.1	⊕	125	Bulk Carton; High Velocity, Controlled Expansion
322	232	164	-0.2	0.5	0.6	⊕	50	Superior Accuracy, Explosive on Varmints
280	181	116	0.1	0.9	1.0	⊕	50	Lead-Free Bullet, Explosive on Varmints
312	220	155	0.1	1.0	1.1	⊕	50	High Velocity, Controlled Expansion
312	220	155	0.1	1.0	1.1	⊕	200	High Velocity, Controlled Expansion
102	83	70	0.3	⊕	-2.6	-7.6	100	No expansion / Deep penetration / Reduced meat and fur damage
135	101	82	0.7	1.2	⊕	-3.4	100	No expansion / Deep penetration / Reduced meat and fur damage
94	82	73	0.5	⊕	-3.1	-9.1	100	Excellent segmentation at 100 Yards
250	189	140	-0.4	0.3	0.4	⊕	50	No Expansion/Reduced Meat Damage
250	187	137	-0.4	0.3	0.5	⊕	50	Controlled Expansion/Deep Penetration
183	134	104	0.3	0.9	⊕	-2.5	50	Fastest 40 grain 22 Long Rifle
98	82	72	1.2	1.8	⊕	-4.3	100	Quiet/Hollow-Point is Engineered to Work at Low Speed
45	40	36	1.5	⊕	-6.4	-17.8	50	Generates 75 Percent Less Perceived Noise than Standard 22 LR
94	82	73	0.5	⊕	-3.1	-9.1	50	Optimized for use with Suppressed Firearms
312	231	170	0.1	0.9	0.9	⊕	50	Controlled Expansion/Deep Penetration
70	63	57	0.9	⊕	-4.3	-12.2	50	Low Noise and Functions In Semi-Autos
165	121	92	-0.6	1.75	1.6	⊕	50	Hyper Velocity Function and Reduced Fouling
102	85	73	0.3	⊕	-2.6	-7.6	100	Sub-Sonic Performance with Less Lead Fouling
135	106	88	0.7	1.3	⊕	-3.3	100	High Velocity Function and Reliability with Less Lead Fouling
100	88	83	0.4	⊕	-2.9	-8.4	200	Quiet and Clean, with Less Fouling in Suppressors
135	106	88	0.7	1.3	⊕	-3.3	400	High Velocity Function and Reliability with Less Lead Fouling
102	85	73	0.3	⊕	-2.6	-7.6	100	Precision Specs for Accuracy, Sub-Sonic
102	85	73	0.3	⊕	-2.6	-7.6	50	Precision Specs for Accuracy, Sub-Sonic
75	58	47	0.3	⊕	-2.7	-8.1	100	Copper-Plated for Clean Bores
95	67	53	0.1	⊕	-2.2	-6.8	100	Only Classic 22 Long
45	40	36	1.5	⊕	-6.4	-17.8	50	Reliable cycling in semi-automatic firearms with 16- to 20-inch barrels
102	85	73	0.3	⊕	-2.6	-7.6	100	Inexpensive Practice with Same Ballistics as Green Tag®
102	85	73	0.3	⊕	-2.6	-7.6	50	Inexpensive Practice with Same Ballistics as Green Tag®
128	99	82	0.1	⊕	-2.1	-6.0	300	Optimized for Reliable Function in AR-22 Platforms
135	106	88	0.7	1.3	⊕	-3.3	100	Leading High-Velocity 22 Long Rifle
135	106	88	0.7	1.3	⊕	-3.3	50	Leading High-Velocity 22 Long Rifle
312	228	166	0.1	0.9	1.0	⊕	50	Solid Target Performance
—	—	—	—	—	—	—	20	Meets Nontoxic Shot Requirements
—	—	—	—	—	—	—	20	Meets Nontoxic Shot Requirements
—	—	—	—	—	—	—	20	Easy Pest Control
—	—	—	—	—	—	—	20	Short-Range Pest Control
32	28	24	1.6	⊕	-6.7	-18.8	100	Sub-Sonic Pest Control
32	28	24	1.6	⊕	-6.7	-18.8	100	Sub-Sonic Pest Control
169	126	103	0.6	1.1	⊕	-3.1	50	A Venerable Classic
—	—	—	—	—	—	—	100	Great for Training Dogs

CB = "conical ball" reduced power/noise; FP = flat point; CP = copper-plated; L = lead; J = jacketed; HP = hollow-point; RF = rimfire; RN = round nose; SHP = segmented hollow-point; SP = soft point; TMI = encapsulated full metal jacket. \*not for revolvers. Most 22 WRF revolvers have undersized bores that cannot use a jacketed bullet. Performance data derived from industry test barrels; provided for reference. Velocities from production firearms may vary. Specifications subject to change without notice. \*\*—Bulk pack. \$ Trajectory—bullet path based on 15 inches sight height. \*Do not use 17 HMR ammunition in semi-automatic firearms without first contacting your gun manufacturer. \*\*Use only in firearms having standard ANSI Sporting barrel/chamber dimensions. \*\*\*These cartridges may be used in semi-automatic firearms, however manual cycling of the action may be required. To avoid serious injury from a ruptured cartridge, 17 Mach 2 ammunition should only be used in firearms action components specifically designed to safely fire 17 Mach 2 ammunition, including the firearms action components (bolt/locking mechanism). Do not use this ammunition in firearms that have been modified unless ALL the action components have been specifically designed and verified by the firearm manufacturer as intended for 17 Mach 2.



## POUR PACK 22 LR

### OPEN A CARTON FULL OF FUN

Carton-style Blazer® Pour Packs make it easy to handle all the ammo needed for a big day at the range. The cartons hold 425 rounds of Blazer 22 Long Rifle ammunition loaded with 38-grain round nose bullets. They're consistent, accurate and built for high-volume shooting. When range day is done, the containers close securely to hold the remaining rounds until your next shoot.

- 38-grain lead round nose bullets
- With a bull's-eye graphic printed on its side, the carton can be emptied, flattened and used as a target
- 1,235 fps muzzle velocity
- Clean-burning propellant and consistent non-corrosive priming




### BLAZER 22 LR PLINKING PERFORMER

Our 22 Long Rifle ammo is loaded with a 40-grain bullet that's great for everything from small game hunting to casual plinking. **Now available in buckets!**

CARTRIDGE	PART #	WT. (GRS)	STYLE	BULLET TYPE	VELOCITY, FT/SEC			EST. HANDGUN	ENERGY, FT-LBS			TRAJECTORY (INCHES)			BOX CT.	
					MUZZLE	50 YDS	100 YDS		MUZZLE	50 YDS	100 YDS	25 YDS	50 YDS	75 YDS	100 YDS	
22 LONG RIFLE	0021	40	LRN	HIGH VELOCITY	1235	1104	1026	1060	135	108	93	0.7	1.2	♦	-3.2	50
22 LONG RIFLE	10022	38	LRN	HIGH VELOCITY	1235	1090	995	1060	135	100	84	0.7	1.3	♦	-3.3	525
22 LONG RIFLE	10025	38	LRN	HIGH VELOCITY	1235	1090	995	1060	135	100	84	0.7	1.3	♦	-3.3	1500
22 LONG RIFLE	10026	38	LRN	HIGH VELOCITY	1235	1090	995	1060	135	100	84	0.7	1.3	♦	-3.3	425

ABBREVIATION KEY: FMJ—full metal jacket FN—flat nose HP—hollow point L—lead J—jacketed TMJ®—encased-core full jacket RN—round nose

Test barrels are used to determine ballistic figures. Individual firearms may vary. These figures are approximate and are shown for reference. V = Vented test barrel simulating revolver performance.



**NEW**

## BLAZER BRASS CLEAN-FIRE SUPPRESSOR

With subsonic velocities, the Total Metal Jacket bullet and lead-free primers, new Blazer® Brass Clean-Fire® Suppressor delivers optimal performance through suppressed handguns and carbines. The accurate loads leave less fouling in the barrel and suppressor to minimize maintenance and maximize your time at the range. Blazer Clean-Fire Suppressor also meets power factor requirements for competitive shooting.

CARTRIDGE	PART #	BULLET		TEST BARREL LENGTH (INCHES)	VELOCITY, FT/SEC			ENERGY, FT-LBS			TRAJECTORY (INCHES)				POWER FACTOR
		WT, (GRS)	TYPE		MUZZLE	50 YDS	100 YDS	MUZZLE	50 YDS	100 YDS	25 YDS	50 YDS	75 YDS	100 YDS	
<b>NEW</b> 9MM LUGER	5203S	147	TMJ	4	900	766	734	327	300	275	-0.9	♦	-2.7	-19.3	132
<b>NEW</b> 40 S&W	5220S	180	TMJ	4	970	913	865	376	333	299	-0.9	♦	-3.4	-9.5	174
<b>NEW</b> 45 AUTO	5230S	230	TMJ	5	800	766	734	327	300	275	-0.9	♦	-9.1	-19.3	184

Performance data derived from industry test barrels: provided for reference. Velocities from production firearms may vary. Specifications subject to change without notice.



## BLAZER BRASS HP

Be ready to defend when needed with the performance of Blazer® Brass HP. Featuring reloadable brass cases, clean CCI® primers and an accurate hollow-point bullet that offers reliable expansion, it's a quality multipurpose cartridge that's affordable enough to train and defend with the same round.

CARTRIDGE	PART #	WT. (GRS)	BULLET TYPE	TEST BARREL LENGTH (INCHES)	VELOCITY, FT/SEC			ENERGY, FT-LBS			TRAJECTORY (INCHES)			
					MUZZLE	50 YDS	100 YDS	MUZZLE	50 YDS	100 YDS	25 YDS	50 YDS	75 YDS	100 YDS
<b>380 AUTO</b>	5238	98	JHP	3.75	920	862	813	184	162	144	144	♦	-3.9	-10.8
<b>9MM LUGER</b>	5239	115	JHP	4	1145	1048	978	335	280	244	♦	-0.9	-3.8	-8.8
<b>5246</b>	124	JHP	4	1100	1030	975	333	292	262	0.5	♦	-2.6	-7.3	
<b>357 MAGNUM</b>	5207	158	JHP	4 V	1250	1130	1044	548	448	382	♦	-0.4	-2.6	-6.6
<b>40 S&amp;W</b>	5241	180	JHP	4	1015	960	915	412	368	334	♦	-1.34	-5.0	-11.2
<b>10MM AUTO</b>	5251	180	JHP	5	1175	1077	1006	552	463	404	♦	-2.2	-7.7	-16.4
<b>45 AUTO</b>	5245	230	JHP	5	850	819	790	369	343	319	♦	-0.8	-3.5	-8.2

## BLAZER ALUMINUM

### GREAT ECONOMY THROUGH GREAT TECHNOLOGY

Shoot more with Blazer Ammunition. Our aircraft-grade aluminum is heat-treated and provides the same great performance of brass-case ammo at a more economical price.

- Loaded with quality bullets and reliable ignition primers
- Wide selection of bullet weights and styles
- Greatly reduces the cost of practice



CARTRIDGE	PART #	WT. (GRS)	BULLET TYPE	TEST BARREL LENGTH (INCHES)	VELOCITY, FT/SEC			ENERGY, FT-LBS			TRAJECTORY (INCHES)			
					MUZZLE	50 YDS	100 YDS	MUZZLE	50 YDS	100 YDS	25 YDS	50 YDS	75 YDS	100 YDS
<b>25 AUTO</b>	3501	50	FMJ	2	755	712	673	63	56	50	♦	-3.1	-10.6	-22.6
<b>32 AUTO</b>	3503	71	FMJ	4	900	841	791	128	112	99	♦	-2.0	-7.0	-15.3
<b>380 AUTO</b>	3505	95	FMJ	3.75	945	888	839	188	166	149	♦	-1.7	-6.1	-13.5
<b>9MM LUGER</b>	3509	115	FMJ	4	1145	1046	975	335	279	243	♦	-0.9	-3.8	-8.9
<b>38 SPECIAL</b>	3522	158	LRN	4V	755	728	702	200	186	173	♦	-3.2	-10.8	-22.1
<b>38 SPECIAL +P</b>	3514	125	JHP	4V	945	887	838	248	218	206	♦	-1.7	-6.1	-13.5
<b>3519</b>	158	FMJ	4V	850	816	785	253	234	216	♦	-2.2	-7.4	-16.4	
<b>357 MAGNUM</b>	3542	158	JHP	4V	1150	1056	987	464	391	364	♦	-0.9	-3.7	-8.7
<b>40 S&amp;W</b>	3589	165	FMJ	4	1100	1006	938	443	371	323	♦	-1.1	-4.3	-9.8
<b>10MM AUTO</b>	3597	200	FMJ	5	1050	985	933	490	431	387	♦	-1.2	-4.6	-10.4
<b>44 SPECIAL</b>	3556	200	JHP	5.15	920	872	829	376	337	305	♦	-1.7	-6.3	-14.0
<b>44 MAGNUM</b>	3564	240	JHP	6.5V	1200	1092	1015	767	636	549	♦	-0.8	-3.3	-7.9
<b>45 AUTO</b>	3570	230	FMJ	5	845	807	773	365	333	305	♦	-2.3	-7.8	-17.0
<b>45 COLT</b>	3584	200	JHP	7.26	1000	935	882	444	388	345	♦	-1.4	-5.3	-11.8



## BLAZER BRASS ECONOMIC RELIABILITY

Blazer® Brass handgun ammunition features reloadable brass cases, quality primers and clean-burning propellants. It offers reliable, accurate performance for target shooting and plinking.

CARTRIDGE	PART #	WT. (GRS)	BULLET TYPE	TEST BARREL LENGTH (INCHES)	VELOCITY, FT/SEC			ENERGY, FT-LBS			TRAJECTORY (INCHES)			
					MUZZLE	50 YDS	100 YDS	MUZZLE	50 YDS	100 YDS	25 YDS	50 YDS	75 YDS	100 YDS
<b>30 SUPER CARRY</b>	5205	115	FMJ FN	4	1150	1049	977	338	281	244	♦	-0.3	-2.6	-7.0
<b>380 AUTO</b>	5202	95	FMJ RN	3.75	945	888	839	188	166	149	♦	-1.7	-6.1	-13.5
<b>5296</b>	100	FMJ RN	4	1130	1002	917	284	223	187	♦	-1.0	-4.2	-9.8	
<b>5200</b>	115	FMJ RN	4	1145	1046	975	323	278	247	♦	-0.9	-3.8	-8.9	
<b>9MM LUGER</b>	5239A	115	FMJ RN	4	1145	1046	975	323	278	247	♦	-0.9	-3.8	-8.9
<b>5201</b>	124	FMJ RN	4	1090	1014	955	327	283	251	♦	-1.1	-4.3	-9.7	
<b>5203</b>	147	FMJ FN	4	950	903	862	295	266	243	♦	-1.6	-5.9	-13.0	
<b>357 MAGNUM</b>	5337	158	FMJ FN	4V	1200	1096	1021	505	422	366	0.4	♦	-2.2	-6.3
<b>38 SPECIAL</b>	5204	125	FMJ FN	4 V	865	824	786	208	188	172	♦	-2.2	-7.5	-16.2
<b>5210</b>	165	FMJ FN	4	1050	971	911	404	345	304	♦	-1.1	-4.3	-9.8	
<b>5220</b>	180	FMJ FN	4	985	935	875	388	350	306	♦	-1.4	-5.2	-11.8	
<b>5221</b>	180	FMJ	5	1200	1078	994	575	464	395	♦	-1.4	-4.7	-10.1	
<b>5230</b>	230	FMJ RN	5	830	794	760	352	322	295	♦	-2.4	-8.2	-17.5	
<b>44 MAGNUM</b>	5244	240	FMJ	4-V	1200	1095	1019	767	639	553	0.4	♦	-2.2	-6.3

Performance data derived from industry test barrels; provided for reference. Velocities from production firearms may vary. Specifications subject to change without notice.



THE LEADER IN RIMFIRE AMMUNITION®

CONNECT WITH US:

- CCI-AMMUNITION.COM
- CCILEADER
- CCILEADER
- CCIAmmunition
- CCIAmmunition
- CCIAmmunition
- CCIAmmunition
- CCIAmmunition

